



## **On the Path to Recovery: Medication, Mental Health Treatment, and the Transition to Adult Life**

**Webinar presented November 4, 2011 by: Ajit N. Jetmalani, Tally Moses, & Martin Rafferty**

## **References and Resources**

---

American Academy of Child & Adolescent Psychiatry (2010). *Facts for families* website. Retrieved from: [http://www.aacap.org/cs/root/facts\\_for\\_families/facts\\_for\\_families](http://www.aacap.org/cs/root/facts_for_families/facts_for_families)

American Academy of Child & Adolescent Psychiatry (2006). Practice parameters on child and adolescent mental health care in community systems of care. *Journal of the American Academy of Child & Adolescent Psychiatry*, 46(2), 284-299.

Bahrack, A. S., & Harris, M. M. (2009). Sexual side effects of antidepressant medications: An informed consent accountability gap. *Journal of Contemporary Psychotherapy*, 39, 135-143.

Building Bridges Tip Sheet. Retrieved from: [www.buildingbridges4youth.org/](http://www.buildingbridges4youth.org/)

Carmichael, M., & Kutcher, S. (2008). *What is evidence-based medicine (EBM) for patients*. Retrieved from: <http://teenmentalhealth.org/index.php/resources/entries/evidence-based-medicine-for-patients/>

Carmichael, M., & Kutcher, S. (n. d.) *What is evidence-based medicine (EBM) 4 youth*. Retrieved from: <http://teenmentalhealth.org/index.php/resources/entries/evidence-based-medicine-for-youth/>

Charach, A., Volpe, T., Boydell, K. M., & Gearing, R. E. (2008). A theoretical approach to medication adherence for children and youth with psychiatric disorders. *Harvard Review of Psychiatry*, 16 (2), 126-135.

Child, B. (2011). Building healthy relationships with your medication and medication provider. *Focal Point: Youth, Young Adults, & Mental Health*, 25(1), 21-24. Retrieved from: <http://www.pathwaysrtc.pdx.edu/pdf/fpS1108.pdf>

- Children's Hospital of Eastern Ontario. (CHEO, n. d.). Focus on the facts: Information for youth about psychotropic medications. Retrieved from:  
<http://teenmentalhealth.org/index.php/resources/entries/understanding-my-medications/>
- Correll, C. U. (2008). Antipsychotic use in children and adolescents: Minimizing adverse effects to maximize outcomes. *Journal of the American Academy of Adolescent Psychiatry, 47* (1), p. 9-20.
- Gleason, M., Egger, H., Emslie, G., et al. (2007). Psychopharmacological treatment for very young children: Contexts and guidelines. *Journal of the American Academy of Child & Adolescent Psychiatry, 46*(12), 1532-1572.
- Gowen, K. (2011). *Evaluating whether or not to trust mental health information on the internet*. Retrieved from: <http://www.pathwaysrtc.pdx.edu/pdf/proj6-ehealthABCs.pdf>
- Jetmalani, A. N. (2010). Psychopharmacology. In K. Cheng & K. Myers (Eds.), *Child and adolescent psychiatry: The essentials* (2nd Ed.), pp.455-489. Philadelphia, PA: Lippincott, Williams, and Wilkins.
- Link, B. G., & Phelan, J. C. (2001). Conceptualizing stigma. *Annual Review of Sociology, 27*, 363-385.
- National Institute of Mental Health. (2008). *Mental health medications*. Retrieved October 9, 2011 from: <http://www.nimh.nih.gov/health/publications/mental-health-medications/complete-index.shtml>
- March, J. S. et al. (2004). Cognitive-behavior therapy, sertraline, and their combination for children and adolescents with obsessive-compulsive disorder: The Pediatric OCD Treatment Study (POTS) randomized control trial. *Journal of the American Medical Association, 292* (16), 1969-1976.
- March, J. S., & Vitiello, B. (2009). Clinical messages from the Treatment for Adolescents with Depression Study (TADS). *American Journal of Psychiatry, 166* (10), 1118-1123.
- McVoy, M. & Findling, R. (2009). Child and Adolescent Psychopharmacology Update. *Psychiatric Clinics of North America, 32*, 111-133.
- Mojtabai, R., & Olfson, M. (2010). National trends in psychotropic medication polypharmacy in office-based psychiatry. *Archives of General Psychiatry, 67* (1), 26-36.
- Moses, T. (2011). Adolescents' commitment to continuing psychotropic medication: A preliminary investigation of considerations, contradictions, and correlates. *Child Psychiatry & Human Development, 42*, 93-117.
- Moses, T. (2010). Being treated differently: Stigma experiences with family, peers, and school staff among adolescents with mental health disorders. *Social Science & Medicine, 70*, 985-993.
- Moses, T. (2008). Psychotropic medication practices for youth in systems of care. *Journal of Child and Family Studies, 17*(4), 567-581.

- Roberts, R. Rodriguez, W., Murphy, D. et al. (2003). Pediatric drug labeling—improving the safety and efficacy of pediatric therapies. *Journal of the American Medical Association*, 290, 905-911.
- Roe, D. Goldblatt, H., Baloush-Klienman, V., Swarbrick, M., & Davidson, L. (2009). Why and how people decide to stop taking prescribed medication: Exploring the subjective process of choice. *Psychiatric Rehabilitation Journal*, 33(1), 38-46.
- Sikich, L., Frazier, J. A., McClellan, J., Findling, R. L., Vitiello, B., Ritz, L. et al. (2008). Double-blind comparison of first- and second-generation antipsychotics in early-onset schizophrenia and schizo-affective disorder: Findings from the Treatment of Early-Onset Schizophrenia Spectrum Disorders (TEOSS) Study. *American Journal of Psychiatry*, 165 (11), 1420-1431.
- Swanson, J., Arnold, E., Kraemer, H., Hechtman, L., Molina, B., Hinshaw, S. et al. (2008a). Evidence, interpretation, and qualification from multiple reports of long-term outcomes in the Multimodal Treatment Study of Children with ADHD (MTA): Part I: Executive summary. *Journal of Attention Disorders*, 12 (1), 4-14.
- Swanson, J., Arnold, E., Kraemer, H., Hechtman, L., Molina, B., Hinshaw, S. et al. (2008b). Evidence, interpretation, and qualification from multiple reports of long-term outcomes in the Multimodal Treatment Study of Children with ADHD (MTA): Part II: Supporting details. *Journal of Attention Disorders*, 12 (1), 15-43.
- Texas Department of Health Services (2010). Psychotropic medication utilization parameters for foster children. Retrieved from:  
<http://www.dfps.state.tx.us/documents/about/pdf/TxFosterCareParameters-December2010.pdf>
- Walkup, J. et al. (2009). Practice parameter on the use of psychotropic medication in children and adolescents. *Journal of the American Academy of Child and Adolescent Psychiatry*, 48(9), 961-973.
- Walkup, J. T., Abano, A. M., Piacentini, J., Birmaher, B., Compton, S. N., Sherril, J. T. et al. (2008). Cognitive behavioral therapy, sertraline, or a combination in childhood anxiety. *New England Journal of Medicine*, 359 (26), 2753-2766.
- Williams, N. J. (2009). Preliminary evaluation of children's psychosocial rehabilitation for youth with serious emotional disturbance. *Research on Social Work Practice*, 19 (5), 50-18.
- Youth MOVE National (2011). Youth MOVE National website. [www.youthmovenational.org](http://www.youthmovenational.org)
- Zito, J. M., Safer, D. J., Sai, D., Gardner, J. F., Thomas, K., Coombes, P. et al. (2008). Psychotropic medication patterns among youth in foster care. *Pediatrics*, 121, 157-163.